

## Pistol Grip

Specially Developed to cover a wide range of IDC products - these tools are ideal for small batch production and repair

*Image representative of type only*

### Features:

Interchangeable Heads  
Complete cycle ratchet control  
Product automatically indexes after insertion  
Head rotates for user convenience



Part Number	Description	mm <sup>2</sup> (AWG) or other
548053-1	AMP CT 2.0 Receptacle	2 to 28 ways
1372039-1	AMP MONO-SHAPE MK II Tab connector	0.35 - 1.5 (24-16)
528015-7	AMP MONO-SHAPE Tab connector	0.5 - 1.5 (22-16)
539453-1	AMP multifitting MK II	0.35 - 1.0 (24-18)
870088-3	AMPLIMITE HDE-20	0.05 - 0.6 (30-20)
870086-2	AMPMODU MT Female Connector, Dual Row	0.15 - 0.4 (26-22)
870086-3	AMPMODU MT Female Polarised Connectors, Dual Row	0.15 - 0.4 (26-22)
946807-1	HE-13/14 (180°)	0.08 - 0.22 (28-24)
945419-1	HE-13/14 (90°)	0.08 - 0.22 (28-24)
549012-1	Modu w. pin housing 964144	1x4 way
539638-1	Modu w. pin housing 964144	1x5 way
734173-1	MT 6	0.4 - 1.0 (22-18)
656154-1	MT Connector - Decrete wire	2 to 20 Posns
734175-1	MT-6-M / Sonderversion	2 to 12 Posns
656154-5	MT-EDGE 5.0	0.5 (22)
658096-3	RV-100 MULTIPLEXER 16 Posn. RV-100 32, 48, 64, 80, 96 Posn.; RV-100-4 32 Posn.	0.05 - 0.35 (30-22)
873710-1	TANDEM-SPRING	2x13 way
549013-1	TS Receptacle	1x4 way

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Pistol Grip II

58074-1 - Manual Handle without Head  
 58075-1 - Pnuematic Handle without Head  
 Ideal for small batch production and repair

*Image representative of type only*

### Features:

Interchangeable Heads  
 Complete cycle ratchect control  
 Product automatically indexes after insertion  
 Head rotates for user convenience



Part Number	Description	mm <sup>2</sup> (AWG) or other
58372-1	Head only for AMP CT 2.0	2 to 28 ways
58063-2	Head only, for AMPLIMITE HDE-20	0.05 - 0.6 (30-20)
608868-1	Complete Tool, for AMPLIMITE HDE - 20	0.05 - 0.6 (30-20)
58569-1	Head only for AMPMODU MTE Receptacle Inserts crimped Contacts into Housing	
58336-1	Head only for AMPMODU MTE Receptacle	0.03 - 0.4 (30-22)
937317-1	Complete Tool, for Mini CT MT	2 to 20 Posns
58246-2	Head only for MTA 100	0.06 - 0.4 (30-22)
58579-1	Complete Tool, for MTA 100	0.08 - 0.4 (28-22)
58246-1	Head only, for MTA 100	0.09 - 0.4 (28-22)
58247-1	Head only, for MTA 156 & discrete wires	0.15 - 1.0 (26-18)
58247-3	Head only, for MTA 156 Discrete Wire, Jacketed or Ribbon Cable applications	0.15 - 1.0 (26-18)
58580-1	Complete Tool, for MTA 156	0.15 - 1.0 (26-18)
58443-1	Head only for MTA-156 Discrete Wire Receptacles	[26-18] Ins. Ø2.41mm max

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Pistol Grip III

169756-1- Base Tool without Head  
 Order Handle and Head separately  
 Ideal for small batch production and repair

*Image representative of type only*

### Features:

Interchangeable Heads  
 Complete cycle ratchect control  
 Product automatically indexes after insertion



Part Number	Description	mm <sup>2</sup> (AWG) or other
785900-1	AMP MONOSHAPE	
734042-1	Head only for HE-13/14 (180°)	0.08 - 0.22 (28-24)
734043-1	Complete Tool for HE 13/14 (180°)	0.08 - 0.22 (28-24)
734040-1	Head only for HE-13/14 (90°)	0.08 - 0.22 (28-24)
734041-1	Complete Tool for HE-13/14 (90°)	0.08 - 0.22 (28-24)
870090-1	Complete Tool for MT Connector, Ribbon cable	2 to 20 Posns

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*

## Special Hand Tool for DUOPLUG 2.5

549033-1 - complete tool

### Features:

Suitable for low volume production and repair work. The connector housing is placed in a support frame and the handles are partially closed, then the wire can be inserted up against the wire stop. Completely closing the handles pushes the wires into the IDC contacts and completes the termination.

*Image representative of type only*




## Hand Tool - ANSLEY 779-2100

1437000-6 for all STD DIP Plugs

### Features:

One Stationary Handle  
 One Moveable Handle  
 Upper Platten  
 Lower Platten mounting Plate  
 Accepts a range of Lower Platten Blocks to crimp a wide variety of products

*Image representative of type only*



Part Number	Description	mm <sup>2</sup> (AWG) or other
1-1437000-2	Platten Block - ANSLEY 609 / 622 Ribbon Cable Socket Connectors	10 to 60 Pos
1437000-8	Platten Block - ANSLEY 609 Ribbon Cable Socket Connectors	10 to 64 Pos
1-1437000-3	Platten Block - ANSLEY 622 Ribbon Cable Socket Connectors	10 to 60 Pos
1437000-9	Platten Block - ANSLEY 622 Ribbon Cable Socket Connectors	10 to 64 Pos

*Only the most popular options are listed here, please use our online search by terminal PN to find the right tool for your application, and contact us where information is unclear or missing - there may well be something available for your requirement.*